



PARMA 15

AERIAL TRAILER MOUNTED PLATFORM ARTICULATED, FOR WORKING HEIGHTS UP TO 15 METER (49,21 FEET)


STANDARD MODEL:

- * 230V main power
- * Visual level for stabilisation
- * Ball Coupling with inertia brake
- * Steel basket (1,1 x 0,60) m
- * Manual stabilizers with safety micro switches
- * Controls in basket and chassis
- * Proportional hydraulic controls
- * Emergency lowering from the ground
- * 90° jib





Optional accessories



- 1 Electric outlet in basket
- 2 Descent buzzer
- 3 Spare wheels
- 4 Rotating light
- 5 Hour meter
- 6 Lighting kit for roads
- 7 Hydraulic stabilizers
- 8 Automatic self-leveling for stabilizers
- 9 Self driving system on wheels
- 10 Bi energy: 230V + (Gasoline or Batteries)
- 11 Bi energy: 230V + Diesel Engine
- 12 Batteries main power
- 13 Bi energy: Batteries + Petrol Engine
- 14 Bi energy: Batteries + Diesel Engine
- 15 Charge indicator for batteries
- 16 Insulating basket
- 17 Aluminium basket 1,9m + basket load
- 18 Iron fer (1,4 x 0,7) m
- 19 Emergency lowering from the basket
- 20 Control weight in the basket
- 21 Hydraulic basket rotation
- 22 Support pads (40 x 35)cm
- 23 Stabilizer for ball and ring coupling
- 24 Ring coupling

